


For online ordering and payment visit:

<http://www.capedoorclosers.co.za/wproducts.php>



K 720 Door Closer for Doors up to 45 kg

Order Online Click [HERE](#)

Price R 990.00 incl. (free delivery within 25 km of cape town cbd)

Household doors, office doors, wooden doors, aluminum doors, steel doors, steel gates

Installs on both right and left side.

Specification :

- Two independent closing speed adjustable valves.
- Three types of applications (Universal), standard, parallel, and top jamb
- Rack and pinion mechanism contained in a high tensile precision cast aluminum housing assures the highest quality
- Door Opening angle : 180 degrees
- Guarantee : 1 year
- Color : Aluminum

Model number & dimensions W x H of door Weight of door

K72:204 x 46.8 x 65.8mm 800 x 2100mm 25-45 kg K73:226 x 47.2 x 66.5 950 x 2100mm
40-65 kg



NSK 630 Door Closer for Doors up to 65 kg

Order Online Click [HERE](#)

Price R 1090.00 incl. (free delivery within 25 km of cape town cbd)

Household doors, office doors, wooden doors, aluminum doors, steel doors, steel gates

Installs on both right and left side.

Specification : Two independent closing speed adjustable valves.

- **Three types of applications (Universal), standard, parallel, and top jamb**
- **Rack and pinion mechanism contained in a high tensile precision cast aluminum housing assures the highest quality**
- **Door Opening angle : 180 degrees**
- **Guarantee : 5 year**
- **Color : Aluminum**

Model number & dimensions W x H of door Weight of door

**NSK 630:204 x 46.8 x 65.8mm 800 x 2100mm 25-45 kg K73:226 x 47.2 x 66.5 950 x 2100mm
40-65 kg**

Door closer weight and dimension

NSK 630 1.5kg

Dimension of packaging box

120x90x70 mm



K 740 BC Door Closer for Doors up to 85 kg with back check valve

Order Online Click [HERE](#)

Price R 1 490.00 incl. (free delivery within 25 km of cape town cbd)

Household doors, office doors, wooden doors, aluminum doors, steel doors, steel gates.

Household doors, office doors, wooden doors, aluminum doors, steel doors, steel gates, fire doors etc.

Installs on both right and left side.

Specification:

Two independent closing speed adjustable valves.

+1 BC (Back Check Valve)

Three types of applications (Universal), standard, parallel, and top jamb. Rack and pinion mechanism contained in a high tensile precision cast aluminum housing assures the highest quality. Door Opening angle : 180 degrees Guarantee : 1 year Color : Aluminum

Model number&dimensions W x H of door Weight of door

K74 :248 x 47.2 x 66.5mm 1050 x 2400 mm 60-85 kg